#### Welcome to the original!

We are worldwide specialists for intra-plant transports of heavy or sensitive materials with rough, smooth or porous surfaces.



#### **Vacuum Transport Systems**

VACULIFT, EASY & SAFE LIFTING SOLUTION FOR HEAVY MATERIALS





### Contents

About VACULIFT Useful Information

Type of Materials

**Description of Product** VACULIFT<sup>®</sup> Green Line VACULIFT<sup>®</sup> Red Line VACULIFT<sup>®</sup> Blue Line VACULIFT<sup>®</sup> Gold Line

Videos

VACULIFT<sup>®</sup> Green Line VACULIFT<sup>®</sup> Red Line VACULIFT<sup>®</sup> Blue Line VACULIFT<sup>®</sup> Gold Line

VACULIFT Customers

Asia Sole Distributor <SMARTECO>



### About VACULIFT<sup>®</sup>

As the inventor of sophisticated vacuum lifting technologies, we are manufacturing VACULIFT for more than 50 years.

Innovative and efficient transport solutions which improve production processes in a variety of industries. With pride we refer to more than 28,000 VACULIFT which are used worldwide and VACULIFT has the leading position at the national and international levels.

With our well-founded knowledge, professional project management and permanent research and development programs we have excellent qualifications to deliver tailor-made industry solutions.



Established Year **1967** 




Worldwide Brand



**28,000** Types of Product



100% made in Germany



### Useful Information of VACULIFT<sup>®</sup>

#### **Basic Information**

Each standard VACULIF has a high-quality basic and depending on the type, is equipped with different beams and suction pads.

#### **Special Function**

- Easy control by safety sliding valve / remote control / cable / radio / automatic control
- Low maintenance and easy to service
- Safety in case of power failure by intelligent components
- Short starting-time by tailor-made vacuum tank
- Many accessories available
- Long-life, high-quality systems
- Variable retrofittable

#### Service

VACUQUIFT

- Fast delivery of all parts from stock
- Fast servicing and well trained technicians
- 1 year warranty
- 30 year long-term warranty on spare part availability

Lifting capacity 2.645 lbs

#### **Guarantees Safety**

- European Safety Standard Approved
- EN, CE, RoHS Certified
- Increased safety beyond standards EN 13155 and ASME B30.20

Vacuum Transport Systems


GEKO

1010

SMARTECO Precision Saw and Machine



### **Used in Different Types of Material**







#### **Green Line**

U01 (max. 75 kg) U02 (max. 300 kg) U075 (max. 750 kg) U125 (max. 1250 kg) U250 (max. 2500 kg) U400 (max. 4000 kg) U700 (max. 7000 kg) Unique Lifters

### **e** Red Line

Standards Pivoting Turning Tube Lifters Vacuum Stations Holding Fixtures Unique Lifters WLL Unlimited



Standards Pivoting Turning Tube Lifters Vacuum Stations Holding Fixtures Unique Lifters WLL Unlimited



Mobile Standards Pivoting Turning Vacuum Stations Holding Fixtures Unique Lifters WLL Unlimited



### VACULIFT® GREEN LINE (Non-Power Lifting)

- Energy independent
- Automatic work-cycle
- Plug & Play, immediately ready for operation

**SMARTECO** 

- Standard and customised solutions
- Lifting capacity up to 7,000KG
- Low maintenance even if the going gets tough
- Simply controlled e.g. by crane control
- For indoor and outdoor use
- Sophisticated devices by 50 years of experience
- Made in Germany

For gentle, horizontal transport of smooth, non-porous loads

#### VACULIFT<sup>®</sup> GREEN LINE (Non-Power Lifting) Product Description & Tailor-made

VACULIFT®						
TYPE		U01-E	U02-E	U075-E	U075-2	U125-E
lifting capacity	kg / lbs	75 / 165	270 / 595	640 / 1411	750 / 1653	1100 / 2425
max. dimension of the load	mm / inch	1000*1000 39*39"	2000*1000 79*39"	2000*1000 79*39"	3000*1500 118*59"	2000*2000 79*79"
min. load dimension	mm / inch	Ø 210 8"	Ø 350 14"	Ø 480 19"	840*415 33*16"	Ø 625 25"
min. thickness	mm / inch	2 0.08"	2 0.08"	2 0.08"	2 0.08"	2 0.08"
dead weight	kg / lbs	5/11	22 / 49	83 / 183	127 / 280	135 / 298
suction pads number / size	mm / inch	1 / Ø 210 8"	1 / Ø 350 14"	1 / Ø 480 19"	2 / Ø 415 16"	1 / Ø 625 25"
min. load	kg / lbs	5/11	10 / 22	35 / 77	20 / 44	35 / 77
length x width x switching height	mm / inch	210*210*440 8*8*17"	350*350*615 14*14*24"	480*480*850 19*19*33"	1915*415*1070 75*16*42"	625*625*950 25*25*37





### VACULIFT<sup>®</sup> RED LINE (Electric Lifting)

• For almost every kind of material and application

SMARTECO

- Standard and customised solutions
- Robust and durable systems in top quality
- Lifting capacity (WLL) up to 150.000KG and more
- Easy controlled by e.g. hand lever,…
- Available standard voltages 24 500 Volt
- Increased safety beyond DIN EN 13155
- Safe in case of power failure
- For indoor and outdoor use
- Sophisticated devices by 50 years of experience
- Made in Germany

Horizontal or vertical transport of loads Pivoting, turning and mobile systems Also for loads with rough surface, tubes, coils, facade parts & more

#### SMARTECO Precision Saw and Machine

#### VACULIFT<sup>®</sup> RED LINE (Electric Lifting) Product Description & Tailor-made

VACULIFT®				Page	and the second second
ТҮРЕ		H-E-150	H-2-1250	H-4Q-1250	H-4K-1250
lifting capacity	kg / lbs	150 330	1.250 2.765	1.250 2.765	1.250 2.765
max. dimension of	mm /	1.000*1.000	3.000*1.500	1.200*1.100	4.000*2.000
the load	inch	39*39"	118*59"	47*1.43"	157*79"
min.	mm /	ø 280	1.350*630	700*460	1.000*500
Ioad dimension	inch	11"	53*25"	28*16"	39*20"
min. thickness	mm /	1	2	2	2
	inch	0,04"	0,08"	0,08"	0,08"
dead weight	kg / lbs	64 141	184 406	244 538	215 474
suction pads	mm /	1 / Ø 270	2 / Ø 650	4 / Ø 495	4 / Ø 495
number / size	inch	11"	26"	19"	14"
dimension	mm /	610*840*695	1.500*890*700	1.800*1.000*825	2.760*840*820
(L*W*H)	inch	24*33*28"	59*35*28"	71*39*32"	112*33*32"
Connected load (100-500 V available)	V / Hz / kW	230 V; 50 Hz; 0,3 kW 110 V, 60 Hz, 0.3 kW	230 V; 50 Hz; 0,6 kW 110 V, 60 Hz, 0.3 kW	230 V; 50 Hz; 0,3 kW 110 V, 60 Hz, 0.3 kW	230 V; 50 Hz; 0,3 kW 110 V, 60 Hz, 0.3 kW



#### VACULIFT<sup>®</sup> BLUE LINE (Pneumatic Lifting)

- For almost every kind of material and application
- Standard and customised solutions
- Robust and durable systems in top quality
- Lifting capacity (WLL) up to 150.000 kg and more
- Easy controlled by hand lever
- Powered by compressed air (6 bar)
- Increased safety beyond DIN EN 13155
- Safe in case of power failure
- For indoor and outdoor use
- Sophisticated devices by 50 years of experience
- Made in Germany

Horizontal or vertical transport of loads Also for pivoting or turning systems For loads with smooth or rough surface, tubes, coils, facade parts & more

#### VACULIFT<sup>®</sup> BLUE LINE (Pneumatic Lifting) Product Description & Tailor-made

VACULIFT®				P	
ТҮРЕ		H-E-150	H-2-1250	H-4Q-1250	H-4K-1250
lifting capacity	kg / lbs	150 330	1.250 2.765	1.250 2.765	1.250 2.765
max.dimension of	mm /	1.000*1.000	3.000*1.500	2.500*1.250	4.000*2.000
the load	inch	39*39"	118*59"	98*49"	157*79"
min.	mm /	ø 280	1.350*630	1.200*1.100	1.000*500
Ioad dimension	inch	11"	53*25"	47*1.43"	39*20"
min. thickness	mm /	1	2	2	2
	inch	0,04"	0,08"	0,08"	0,08"
dead weight	kg / lbs	52 115	172 379	232 511	203 448
suction pads	mm /	1 / Ø 270	2 / Ø 650	4 / Ø 495	4 / Ø 495
number / size	inch	11"	26"	19"	14"
dimension	mm /	610*840*695	1.500*890*700	1.800*1.000*825	2.760*840*820
(L*W*H)	inch	24*33*28"	59*35*28"	71*39*32"	112*33*32"







### VACULIFT® GOLD LINE (Battery Lifting)

- For almost every kind of material and application
- Standard and customised solutions
- Robust and durable systems in top quality
- Lifting capacity (WLL) up to 150.000 kg and more
- Easy handling
- Battery powered with mains charger
- Also available with diesel generator
- 2 vacuum circuits for more safety on site
- Increased safety beyond DIN EN 13155
- For indoor and outdoor use
- Sophisticated devices by 50 years of experience
- Made in Germany

Horizontal or vertical transport of loads or for pivoting or turning systems For loads with smooth or rough surface, tubes, coils,facade parts & more

#### VACULIFT<sup>®</sup> GOLD LINE (Battery Lifting) Product Description & Tailor-made







#### VACULIFT SERVICE

- Worldwide Service
- Telephone and email support forever for free

SMARTECO

- Fast spare part delivery
- Always all wear parts in stock
- 30 years spares availability
- Maintenance by pros
- Retrofitting of all vacuum systems
- Commissioning on site
- Data and reporting services
- PLC coding and implementation
- Predictive maintenance
- Module consulting and delivery





#### Vacuum Stations and Components

Another sophisticated speciality of VACU-LIFT is our vacuum station, where the vacuum unit and the lifting unit are separated. A smart and flexible solution for many companies.

We have the perfect solution, whether it be the pivoting of 120 o C hot shaft material at Rolls Royce or the lifting of small, heavy aluminium parts at Aerospace,... solutions based on experience.

A vacuum station allows to be independent from the limited capacity of a crane. The small, lightweight tappet is connected to the hoist and the vacuum unit can be positioned where space is available.

Easy

Operation

# VACULIFT'S ADVANTAGES

Save Personnel Expenses 1Year Warranty







#### VACULIFT WORLDWIDE CUSTOMERS

Abeking & Rasmussen ABUS Acciona Blades AIRBUS ALCOA Almutlak Industries Alstom ArcelorMittal Babcock BASF **BAE Systems** Bayer Bernard Krone GmbH Bombardier Bosch Borusan Mannesmann Brüggen Fahrzeugwerk

Butting CLAAS Daimler AG DEMAG Deutsche Bahn AG ENERCON ETERNIT AG FAG FORD Fraunhofer Institut Gamesa Gazprom **Global Steel** John Deere **KAMENSK URALSKY** Kögel Trailer Langendorf

Liebherr Mercedes-Benz Meyer Werft Miele Mineralit NASA NOKIA Outokumpu **Premium Aerotec** Rhenus Riablades **Rolls Royce** Salzgitter AG Schmitz Cargobull Schott AG Schüco International SGL Carbon

Siemens SIJ Acroni Slawinski Stadler Rail Suzlon Tesla ThyssenKrupp ThyssenKrupp Aerospace ThyssenKrupp Schulte TIKHVIN, Russia TMK UnionStahl Vestas Volkswagen ZAPP **KNF** . . .

As a pioneer and inventor of vacuum lifting technology,

we have paved the way for it worldwide with our patents over the past 50 years.





#### Vacuum Transport Systems





## VACU LIF1


Vacuum Transport Systems

**SMARTECO** Precision Saw and Machine "We are Asia's SOLE Distributor of VACULIFT, Germany." For further inquiries, please contact <sup>©</sup> SMARTECO <sub>a</sub> the official partner of VACULIFT

Tel +82 2 6001 3023 Email sales@smarteco-machine.com Homepage www.smarteco-machine.com






















































350 KO


















































































































SMARTECO Precision Saw and Machine




















































Vacuum Transport Systems

Copyright 2022. SMARTECO. All rights reserved

